	Application No.	Applicant(s)	•
	10/600,042	BINGERT ET AL.	
Notice of Allowability	Examiner	Art Unit	
,	LAM T MAI	2819	- pw
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included n will be mailed in due cou	urse. THIS
1. This communication is responsive to <u>7/19/04</u> .			
2. The allowed claim(s) is/are <u>1-20</u> .			
3. \boxtimes The drawings filed on <u>20 June 2003</u> are accepted by the E	xaminer.		
 4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No		n from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requir	rements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			ICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") mus	at be submitted.		
(a) ☐ including changes required by the Notice of Draftspers		·948) attached	
1) hereto or 2) to Paper No./Mail Date			
(b) including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the drawing the header according to 37 CFR 1.1216	ngs in the front (not the ba	ck) of
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	nust be submitted. Note AL MATERIAL.	e the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal F	Patent Application (PTO-1	52)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Da 8), 7. ☐ Examiner's Amendr	te nent/Comment	
4. ☐ Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowa	nce
of Biological Material	9. Other		
-			

Art Unit: 2819

DETAILED ACTION

Terminal Disclaimer

The terminal disclaimer filed on 7/19/04 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of 4/30/2002 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Specification

The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Allowable Subject Matter

Claims 1-20 are allowable.

The following is an examiner's statement of reasons for allowance: Claims 1-20 are allowed over the prior art of record. The prior art fails to teach or suggest a method and an apparatus for integrated circuit using spare gate island that implements plurality of spare gates being arranged in multiple groups of spare gates, at least a given one of the groups of spare gates being arranged between first and second rows of the standard cells.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/600,042 Page 3

Art Unit: 2819

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Cited References

The prior art made of record and not replied upon is considered pertinent to

application disclosure. The cited references relate to integrated circuit using spare gate

island.

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to LAM T MAI whose telephone number is (571)272-1807.

The examiner can normally be reached on 6:00 am - 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Mike Tokar can be reached on (571) 272-1812. The fax phone number for

the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Lam T. Mai Art Unit 2819

Michael Tokar Supervisory Patent Examiner

Mahal J. Topon

Technology Center 2800